

# SAFETY DATA SHEET

Version 8.1

Revision Date 2025/01/03

Print Date 2025/08/11

Date of first issue 2025/01/03

SDS No. Eternal-Element-ET-NdF-202501

Product Number Eternal-Element-ET-NdF-202501

## Neodymium(III) fluoride

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Neodymium(III) fluoride

Product Number : ET-NdF-202501

Brand : Eternal-Element

CAS-No. : 13709-42-7

#### 1.2 Details of the supplier of the safety data sheet

Company : Shanghai Sheeny Metal Mateirals Co.,Ltd.  
Room 210, Kedi Building,  
No. 688 Huajiang Road, Jiading District,  
SHANGHAI  
201800 SHANGHAI CHINA

上海斯年金属材料有限公司

上海市嘉定区华江公路688号凯迪大厦210室

邮政编码：201800

Telephone : +86 16602150044

Fax : +86 16602150044

#### 1.3 Emergency telephone

Emergency Phone # : +86 4006632276

#### 1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other uses.

Page 1 of 10

## SECTION 2: Hazards identification

### Summary of emergency

powder Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. After inhalation: fresh air. First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. After eye contact: rinse out with plenty of water., Remove contact lenses. After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell. Not combustible. Ambient fire may liberate hazardous vapours.

### 2.1 GHS Classification

Not a hazardous substance or mixture.

### 2.2 GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

### 2.3 Physical and chemical hazards

Referring to current information, no physical or chemical hazard.

### 2.4 Health hazards

Referring to current information, no health hazard.

### 2.5 Environmental hazards

Referring to current information, no environmental hazard.

### 2.6 Other hazards

Strong hydrogen fluoride-releaser

## SECTION 3: Composition/information on ingredients

Substance / Mixture : Substance

### 3.1 Substances

Formula	: F <sub>3</sub> Nd
Molecular weight	: 201.24 g/mol
CAS-No.	: 13709-42-7
EC-No.	: 237-253-3

### Hazardous ingredients

Component	Classification	Concentration
<b>neodymium trifluoride</b>		<= 100 %

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### **General advice**

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

#### **If inhaled**

After inhalation: fresh air.

#### **In case of skin contact**

First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### **If swallowed**

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 4.4 Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Hydrogen fluoride  
neodymium oxides  
Not combustible.  
Ambient fire may liberate hazardous vapours.

## 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.  
Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry.

Do not store in glass

#### Storage class

Storage class (TRGS 510) : 11 : Combustible Solids

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
neodymium trifluoride	13709-42-7	PC-TWA	2 mg/m <sup>3</sup>	Occupational exposure limits for hazardous agents in the workplace - Chemical

**Biological occupational exposure limits**

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
	13709-42-7	fluoride	42 Millimoles per mole creatinine	Urine	China. Biological Occupational Exposure Indices
	Remarks After shift				
		fluoride	7mg/g creatinine	Urine	China. Biological Occupational Exposure Indices
	After shift				
		fluoride	24 Millimoles per mole creatinine	Urine	China. Biological Occupational Exposure Indices
	Prior to shift				
		fluoride	4mg/g creatinine	Urine	China. Biological Occupational Exposure Indices
	Prior to shift				

**8.2 Exposure controls****Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

**Personal protective equipment****Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

**Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

**Full contact**

Material : Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

**Splash contact**

Material : Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

**Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

**Control of environmental exposure**

Do not let product enter drains.

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

a)	Physical state	powder
b)	Color	No data available
c)	Odor	No data available
d)	Melting point/freezing point	No data available
e)	Initial boiling point and boiling range	2,300 °C - lit.
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	No data available
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	pH	No data available
l)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	No data available
n)	Partition coefficient: n-octanol/water	No data available
o)	Vapor pressure	No data available
p)	Density	6.65 g/cm <sup>3</sup> at 25 °C - lit.
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available

- s) Explosive properties No data available
- t) Oxidizing properties No data available

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.2 Possibility of hazardous reactions

No data available

### 10.3 Conditions to avoid

Reacts dangerously with glass.  
no information available

### 10.4 Incompatible materials

glass

### 10.5 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - > 17,500 mg/kg

Remarks: (RTECS)

Inhalation: No data available

Dermal: No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

RTECS: QO9500000

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Hazardous properties cannot be excluded, but are relatively improbable due to the compound's poor water solubility.

Handle in accordance with good industrial hygiene and safety practice.

---

**SECTION 12: Ecological information****12.1 Toxicity**

No data available

**12.2 Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties**

No data available

**12.7 Other adverse effects**

No data available

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

**SECTION 14: Transport information****14.1 UN number**

ADR/RID: -

IMDG: -

IATA-DGR: -

**14.2 UN proper shipping name**

ADR/RID: Not dangerous goods  
IMDG: Not dangerous goods  
IATA-DGR: Not dangerous goods

#### 14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA-DGR: -

#### 14.4 Packaging group

ADR/RID: - IMDG: - IATA-DGR: -

#### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA-DGR: no

#### 14.6 Special precautions for user

#### 14.7 Incompatible materials

glass

#### Further information

Not classified as dangerous in the meaning of transport regulations.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulatory information

##### Law on the Prevention and Control of Occupational Diseases

##### Regulations on Occupational Labor Protection in the at workplaces where Toxic Substances Are Used

Catalogue of Highly Toxic Chemicals : Listed

#### Other regulations

Please pay attention on the waste treatment should also comply with local regulations requirement.

---

### SECTION 16: Other information

#### -Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Eternal-Element Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www. eternal-element.com](http://www. eternal-element.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright Eternal-Element Co., Ltd. LLC. granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [www. eternal-element.com](http://www. eternal-element.com) .