

# SAFETY DATA SHEET

Version 8.1  
Revision Date 2023/10/27  
Print Date 2025/08/12  
Date of first issue 27.10.2023  
SDS No. Eternal-Element - ET-Ce-202501  
Product Number Eternal-Element - ET-Ce-202501

## Cerium(IV) oxide

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Cerium(IV) oxide

Product Number : ET-Ce-202501  
Brand : Eternal-Element  
CAS-No. : 1306-38-3

#### 1.2 Details of the supplier of the safety data sheet

Company : Shanghai Sheeny Metal Mateirals Co.,Ltd.

Room 210, Kedi Building,  
No. 688 Huajiang Road, Jiading District,  
SHANGHAI  
201800 SHANGHAI CHINA  
上海斯年金属材料有限公司  
上海市嘉定区华江公路688号凯迪大厦210室  
邮政编码：201800

Telephone : +86 16602150044  
Fax : +86 16602150044

#### 1.3 Emergency telephone

Emergency Phone # : +86 4006632276

#### 1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other uses.

Page 1 of 8



---

## SECTION 2: Hazards identification

### Summary of emergency

powder yellow odourless After inhalation: fresh air. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. After eye contact: rinse out with plenty of water., Remove contact lenses. After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell. Combustible. Development of hazardous combustion gases or vapours possible in the event of fire. Violent reactions possible with: Strong acids, Oxidizing agents

### 2.1 GHS Classification

Not a hazardous substance or mixture.

### 2.2 GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

### 2.3 Physical and chemical hazards

Referring to current information, no physical or chemical hazard.

### 2.4 Health hazards

Referring to current information, no health hazard.

### 2.5 Environmental hazards

Referring to current information, no environmental hazard.

### 2.6 Other hazards - none

---

## SECTION 3: Composition/information on ingredients

Substance / Mixture : Substance

### 3.1 Substances

Synonyms : Ceric oxide  
Ceric oxide, ceria

Formula : CeO<sub>2</sub>

Molecular weight : 172.11 g/mol

CAS-No. : 1306-38-3

EC-No. : 215-150-4

No components need to be disclosed according to the applicable regulations.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

**In case of eye contact**

After eye contact: rinse out with plenty of water. Remove contact lenses.

**If swallowed**

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

**4.4 Notes to physician**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture**

cerium oxides

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

**5.3 Advice for firefighters**

In the event of fire, wear self-contained breathing apparatus.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

**6.2 Environmental precautions**

Do not let product enter drains.

**6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

**6.4 Reference to other sections**

For disposal see section 13.

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Tightly closed. Dry.

#### **Storage class**

Storage class (TRGS 510) : 13 : Non Combustible Solids

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

### **8.2 Exposure controls**

#### **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

##### Full contact

Material : Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time : 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

##### Splash contact

Material : Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time : 480 min

Material tested: KCL 741 Dermatril® L

##### **Respiratory protection**

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use

respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

a)	Physical state	powder
b)	Color	yellow
c)	Odor	odorless
d)	Melting point/freezing point	Melting point/range : 2,600 °C
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	The product is not flammable.
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	Not applicable
i)	Autoignition temperature	> 400 °C
j)	Decomposition temperature	No data available
k)	pH	No data available
l)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	at 20 °C - OECD Test Guideline 105insoluble
n)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
o)	Vapor pressure	No data available
p)	Density Relative density	7.13 g/mL at 25 °C - lit. No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.2 Possibility of hazardous reactions

Violent reactions possible with:  
Strong acids  
Oxidizing agents

### 10.3 Conditions to avoid

no information available

### 10.4 Incompatible materials

No data available

### 10.5 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Oral : No data available  
Inhalation : No data available  
Dermal : No data available

#### Skin corrosion/irritation

Remarks: No data available

#### Serious eye damage/eye irritation

Remarks: No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

## 11.2 Additional Information

RTECS : FK6310000

Rare earth compounds may cause delayed blood clotting leading to hemorrhages.

Inhalation of rare earths may cause sensitivity to heat, itching, and increased awareness of odor and taste., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Further data:

Handle in accordance with good industrial hygiene and safety practice.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

## SECTION 14: Transport information

**14.1 UN number**

ADR/RID: -

IMDG: -

IATA-DGR: -

**14.2 UN proper shipping name**

ADR/RID: Not dangerous goods  
IMDG: Not dangerous goods  
IATA-DGR: Not dangerous goods

**14.3 Transport hazard class(es)**

ADR/RID: -

IMDG: -

IATA-DGR: -

**14.4 Packaging group**

ADR/RID: -

IMDG: -

IATA-DGR: -

**14.5 Environmental hazards**

ADR/RID: no

IMDG Marine pollutant: no

IATA-DGR: no

**14.6 Special precautions for user****14.7 Incompatible materials****Further information**

Not classified as dangerous in the meaning of transport regulations.

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information****Other regulations**

Please pay attention on the waste treatment should also comply with local regulations requirement.

---

**SECTION 16: Other information****-Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Eternal-Element Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www. eternal-element.com](http://www. eternal-element.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright Shanghai Sheeny Metal Mateirals Co.,Ltd. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [sales@eternal-element.com](mailto:sales@eternal-element.com).