

SAFETY DATA SHEET

Version 9.0
Revision Date 2024/08/05
Print Date 2025/08/13
Date of first issue 05.08.2024
SDS No. Eternal-Element - ET-Y-202501
Product Number Eternal-Element - ET-Y-202501

Yttrium oxide

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Yttrium oxide

Product Number : ET-Y-202501
Brand : Eternal-Element
CAS-No. : 1314-36-9

1.2 Details of the supplier of the safety data sheet

Company : Shanghai Sheeny Metal Mateirals Co.,Ltd.

Room 210, Kedi Building,
No. 688 Huajiang Road, Jiading District,
SHANGHAI
201800 SHANGHAI CHINA
上海斯年金属材料有限公司
上海市嘉定区华江公路688号凯迪大厦210室
邮政编码：201800

Telephone : +86 16602150044
Fax : +86 16602150044

1.3 Emergency telephone

Emergency Phone # : +86 4006632276

1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other uses.

SECTION 2: Hazards identification

Summary of emergency

powder white odorless After inhalation: fresh air. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. After eye contact: rinse out with plenty of water., Remove contact lenses. After swallowing: make victim

drink water (two glasses at most). Consult doctor if feeling unwell. Not combustible. no information available

2.1 GHS Classification

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

2.3 Physical and chemical hazards

Referring to current information, no physical or chemical hazard.

2.4 Health hazards

Referring to current information, no health hazard.

2.5 Environmental hazards

Referring to current information, no environmental hazard.

2.6 Other hazards - none

SECTION 3: Composition/information on ingredients

Substance / Mixture : Substance

3.1 Substances

Formula : Y₂O₃
Molecular weight : 225.81 g/mol
CAS-No. : 1314-36-9
EC-No. : 215-233-5

Hazardous ingredients

Component	Classification	Concentration
yttrium oxide		<= 100 %

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Page 2 of 8

4.4 Notes to physician

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Yttrium oxides

Not combustible.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Storage class

Storage class (TRGS 510) : 13 : Non Combustible Solids

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis

yttrium oxide	1314-36-9	PC-TWA	1 mg/m3	Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.
---------------	-----------	--------	---------	---

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material : Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time : 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material : Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time : 480 min

Material tested:KCL 741 Dermatril® L

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- a) Physical state powder
- b) Color white
- c) Odor odorless
- d) Melting point/freezing point: > 400 °C - OECD Test Guideline 102
- e) Initial boiling point and boiling range > 400 °C - OECD Test Guideline 103

f)	Flammability (solid, gas)	not auto-flammable
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	Not applicable
i)	Autoignition temperature	> 400 °C
j)	Decomposition temperature	No data available
k)	pH	No data available
l)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	0.0007 g/l at 20 °C - OECD Test Guideline 105- slightly soluble
n)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
o)	Vapor pressure	No data available
p)	Density	503 g/cm3
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available
s)	Explosive properties	Not classified as explosive.
t)	Oxidizing properties	The substance or mixture is not classified as oxidizing.

9.2 Other safety information

Particle size 10 µm

SECTION 10: Stability and reactivity

10.1 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.2 Possibility of hazardous reactions

no information available

10.3 Conditions to avoid

no information available

10.4 Incompatible materials

Strong oxidizing agents

10.5 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 5,000 mg/kg
(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 5.09 mg/l - dust/mist

(OECD Test Guideline 436)

Dermal : No data available

LD50 Intraperitoneal - Rat - 230 mg/kg

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Mild eye irritant

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: Did not cause sensitization on laboratory animals.

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type : Chromosome aberration test in vitro

Test system : Chinese hamster fibroblasts

Method : OECD Test Guideline 476

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Rare earth compounds may cause delayed blood clotting leading to hemorrhages.

Inhalation of rare earths may cause sensitivity to heat, itching, and increased awareness of odor and taste., Coagulation abnormalities., Gastrointestinal disturbance, Skin contact or inhalation may result in:, Asthma, Cough, muscles, Damage to the lungs., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information**14.1 UN number**

ADR/RID: - IMDG: - IATA-DGR: -

14.2 UN proper shipping name

ADR/RID : Not dangerous goods
IMDG : Not dangerous goods
IATA-DGR: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID : - IMDG : - IATA-DGR: -

14.4 Packaging group

ADR/RID : - IMDG : - IATA-DGR: -

14.5 Environmental hazards

ADR/RID : no IMDG Marine pollutant: no IATA-DGR: no

14.6 Special precautions for user**14.7 Incompatible materials**

Strong oxidizing agents

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Other regulations

Please pay attention on the waste treatment should also comply with local regulations requirement.

SECTION 16: Other information

Relevant changes since previous version

1. Identification of the substance/mixture and of the company/undertaking

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Eternal-Element Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www. eternal-element.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright Shanghai Sheeny Metal Materials Co.,Ltd. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact sales@eternal-element.com.