



# SAFETY DATA SHEET

Version 8.2

Revision Date 2024/03/06

Print Date 2025/08/12

Date of first issue 06.03.2024

SDS No. Eternal-Element-ET-NdCH-202501

Product Number Eternal-Element-ET-NdCH-202501

## Neodymium(III) acetate hydrate

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Neodymium(III) acetate hydrate

Product Number : ET-NdCH-202501

Brand : Eternal-Element

CAS-No. : 334869-71-5

#### 1.2 Details of the supplier of the safety data sheet

Company : Shanghai Sheeny Metal Mateirals Co.,Ltd.

Room 210, Kedi Building,

No. 688 Huajiang Road, Jiading District,

SHANGHAI

201800 SHANGHAI

CHINA

上海斯年金属材料有限公司

上海市嘉定区华江公路688号凯迪大厦

210室

邮政编码 : 201800

Telephone : +86 16602150044

Fax : +86 16602150044

#### 1.3 Emergency telephone

Emergency Phone # : +86 4006632276



## 1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other uses.

## SECTION 2: Hazards identification

### Summary of emergency

powder purple Causes skin irritation., Causes serious eye irritation., May cause respiratory irritation. Show this material safety data sheet to the doctor in attendance. After inhalation: fresh air. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. After eye contact: rinse out with plenty of water., Call in ophthalmologist., Remove contact lenses. After swallowing: immediately make victim drink water (two glasses at most)., Consult a physician. Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

### 2.1 GHS Classification

Skin corrosion/irritation (Category 2), H315

Serious eye damage/eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), respiratory tract irritation, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Warning

Hazard Statements

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.

Precautionary Statements

Prevention

P261

Avoid breathing dust.

P264

Wash skin thoroughly after handling.

P271

Use only outdoors or in a well-ventilated area.

P280

Wear protective gloves/ eye protection/ face protection.

Response

P302 + P352

IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313

If skin irritation occurs: Get medical advice/ attention.

P337 + P313

If eye irritation persists: Get medical advice/ attention.

Storage

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P405

Store locked up.

Disposal  
P501

Dispose of contents/ container to an approved waste disposal plant.

### Reduced Labeling (<= 125 ml)

Pictogram



Signal Word

Warning

Hazard Statements

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.

Precautionary Statements none

## 2.3 Physical and chemical hazards

Referring to current information, no physical or chemical hazard.

## 2.4 Health hazards

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.

## 2.5 Environmental hazards

Referring to current information, no environmental hazard.

## 2.6 Other hazards - none

## SECTION 3: Composition/information on ingredients

Substance / Mixture : Substance

### 3.1 Substances

Formula :  $C_6H_9NdO_6 \cdot xH_2O$

Molecular weight : 321.37 g/mol

CAS-No. : 334869-71-5

EC-No. : 228-244-5

### Hazardous ingredients

Component	Classification	Concentration
<b>Neodymium(III) acetate hydrate</b>		
	Skin irritation Category 2; Eye irritation Category 2A; Specific target organ toxicity - single exposure Category 3; H315, H319, H335	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 4.4 Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

neodymium oxides

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry.

Hygroscopic.

#### Storage class

Storage class (TRGS 510) : 11 : Combustible Solids

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

**Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

**Body Protection**

protective clothing

**Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

**Control of environmental exposure**

Do not let product enter drains.

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

- |   |                   |
|---|-------------------|
| a) Physical state                               | powder            |
| b) Color  | purple            |
| c) Odor   | No data available |
| d) Melting point/freezing point                 | No data available |
| e) Initial boiling point and boiling range      | No data available |
| f) Flammability (solid, gas)                    | No data available |
| g) Upper/lower flammability or explosive limits | No data available |
| h) Flash point                                  | No data available |
| i) Autoignition temperature                     | No data available |

j)	Decomposition temperature	No data available
k)	pH	No data available
l)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	No data available
n)	Partition coefficient: n-octanol/water	No data available
o)	Vapor pressure	No data available
p)	Density	No data available
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.2 Possibility of hazardous reactions

No data available

### 10.3 Conditions to avoid

Avoid moisture.

no information available

### 10.4 Incompatible materials

Strong acids

### 10.5 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

**Skin corrosion/irritation**

Remarks: No data available

**Serious eye damage/eye irritation**

Remarks: No data available

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

Inhalation - May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties**

No data available

**12.7 Other adverse effects**

No data available

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

**SECTION 14: Transport information****14.1 UN number**

ADR/RID: -

IMDG: -

IATA-DGR: -

**14.2 UN proper shipping name**

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA-DGR: Not dangerous goods

**14.3 Transport hazard class(es)**

ADR/RID: -

IMDG: -

IATA-DGR: -

**14.4 Packaging group**

ADR/RID: -

IMDG: -

IATA-DGR: -

**14.5 Environmental hazards**

ADR/RID: no

IMDG Marine pollutant: no

IATA-DGR: no

**14.6 Special precautions for user****14.7 Incompatible materials**

Strong acids

**Further information**

Not classified as dangerous in the meaning of transport regulations.

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information****Measures on the Environmental Administration of New Chemical Substances Registration**

Registration/Notification number : B1A222214552

Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

### Other regulations

Please pay attention on the waste treatment should also comply with local regulations requirement.

---

## SECTION 16: Other information

### Full text of H-Statements referred to under sections 2 and 3.

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Eternal-Element Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.eternal-element.com](http://www.eternal-element.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright Shanghai Sheeny Metal Mateirals Co.,Ltd. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [sales@eternal-element.com](mailto:sales@eternal-element.com).